U.S. Application No. 10/562,827

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An optical plastic fiber comprising a core region and having a center line along a longitudinal axis of the fiber,

in any plane perpendicular to the center line, a refractive index of the core region increasing along a direction going from a periphery portion to the center line, and

in any plane parallel to the center line and containing the center line, a birefringence index varying along a direction going from the center line to a periphery portion perpendicular to the center line;

wherein molecules in the core region are aligned along the longitudinal axis, and a degree of the alignment varies along a direction going from the center line to a peripheral portion perpendicular to the center line, and the variation of the alignment degree causes a refractive index profile in the core.

2. (original): The optical plastic fiber of claim 1, wherein the core region is formed of a material having a positive intrinsic birefringence; and in any plane parallel to a propagating direction and containing the center line, an absolute value of a birefringence index Δn ,

U.S. Application No. 10/562,827

 $\Delta n=nx-ny>0$, where nx is a refractive index parallel to the longitudinal axis and ny is a refractive index perpendicular to the longitudinal axis, increases along a direction going from the center line to a periphery portion perpendicular to the center line.

3. (original): The optical plastic fiber of claim 1, wherein the core region is formed of a material having a negative intrinsic birefringence; and in any plane parallel to a propagating direction and containing the center line, an absolute value of a birefringence index Δn , $\Delta n=nx-ny<0$, where nx is a refractive index parallel to the longitudinal axis and ny is a refractive index perpendicular to the longitudinal axis, decreases along

a direction going from the center line to a periphery portion perpendicular to the center line.

- 4. (previously presented): The optical plastic fiber according to claim 1, wherein the core region is formed of a uniform composition.
 - 5. (cancelled).
- 6. (original): A process for producing an optical plastic fiber comprising drawing a preform comprising at least one region formed of a material having an intrinsic birefringence into fiber while passing the preform through at least two zones where a temperature is set to be

different each other, thereby creating a temperature-difference of 5 °C or larger between a center portion and a periphery peripheral portion of the preform before the preform is drawn into fiber.

- 7. (previously presented): The optical plastic fiber according to claim 1, wherein light loss is not greater than 250 dB/km.
- 8. (previously presented): The optical plastic fiber according to claim 2, wherein light loss is not greater than 250 dB/km.
- 9. (previously presented): The optical plastic fiber according to claim 3, wherein light loss is not greater than 250 dB/km.
- 10. (previously presented): The optical plastic fiber according to claim 4, wherein light loss is not greater than 250 dB/km.
- 11. (previously presented): The optical plastic fiber according to claim 5, wherein light loss is not greater than 250 dB/km.
- 12. (previously presented): The optical plastic fiber according to claim 2, wherein the core region is formed of a uniform composition.

AMENDMENT UNDER 37 C.F.R. § 1.111

Q91750

U.S. Application No. 10/562,827

- 13. (previously presented): The optical plastic fiber according to claim 3, wherein the core region is formed of a uniform composition.
 - 14. through 16. (cancelled).